

## Quickway Oven/Hood Cleaner

### SECTION 1. IDENTIFICATION

<b>Product Identifier</b>	Quickway Oven/Hood Cleaner
<b>Other Means of Identification</b>	1180
<b>Other Identification</b>	UN1950
<b>Recommended Use</b>	Degreaser for burned on grease.
<b>Restrictions on Use</b>	No information available.
<b>Manufacturer/Supplier Identifier</b>	Sunburst Chemicals, Inc., 220 W. 86th St., Bloomington, MN, 55420, 952-884-3144
<b>Emergency Phone No.</b>	Emergency Telephone Number, 1-866-303-6943
<b>SDS No.</b>	0006

### SECTION 2. HAZARD IDENTIFICATION

Classified according to Canada's Hazardous Products Regulations (WHMIS 2015) and the US Hazard Communication Standard (HCS 2012).

#### Classification

Flammable aerosol - Category 1; Skin corrosion - Category 1; Serious eye damage - Category 1

#### Label Elements



Signal Word:  
Danger

#### Hazard Statement(s):

Extremely flammable aerosol.  
Causes severe skin burns and eye damage.

#### Precautionary Statement(s):

Prevention:  
Wash hands and skin thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Do not breathe dust/fume/gas/mist/vapours/spray.  
Wear protective gloves/protective clothing/eye protection/face protection.  
Keep away from flames and hot surfaces. – No smoking.  
Do not spray on an open flame or other ignition source.  
Pressurized container: Do not pierce or burn, even after use.  
Protect from sunlight. Do not expose to temperatures exceeding 50 °C (122 °F).

---

Product Identifier:	Quickway Oven/Hood Cleaner - Ver. 6
Date of Preparation:	January 21, 2019
Date of Last Revision:	March 02, 2018

General advice

Immediately call a POISON CENTRE or doctor.

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTRE or doctor.

Skin

IF ON SKIN: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

Ingestion

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTRE or doctor if you feel unwell.

Fire

In case of fire: Use CO<sub>2</sub>, dry chemical, or foam for extinction

Storage:

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Disposal:

Dispose of contents and container in accordance with local, regional, national and international regulations.

**Other Hazards**

Not applicable.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	%	Other Identifiers	Other Names
Butane	106-97-8	2.5-10		
Diethylene glycol monobutyl ether	112-34-5	2.5-10		
Sodium hydroxide	1310-73-2	2.5-10		
Oxazolidine E	7747-35-5	2.5-10		
Propane	74-98-6	1-2.5		
Other components below reportable levels		80-90		

### SECTION 4. FIRST-AID MEASURES

**First-aid Measures**

**Inhalation**

Product Identifier: Quickway Oven/Hood Cleaner - Ver. 6

Date of Preparation: January 21, 2019

Date of Last Revision: March 02, 2018

Remove source of exposure or move to fresh air. Get medical advice or attention if you feel unwell or are concerned.

#### **Skin Contact**

Wash gently and thoroughly with lukewarm, gently flowing water and mild soap for 5 minutes. Thoroughly clean clothing, shoes and leather goods before reuse or dispose of safely. Immediately call a Poison Centre or doctor.

#### **Eye Contact**

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. Seek immediate medical attention/advice.

#### **Ingestion**

Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. Immediately call a Poison Centre or doctor.

#### **First-aid Comments**

Get medical advice or attention if you feel unwell or are concerned.

#### **Most Important Symptoms and Effects, Acute and Delayed**

None known.

#### **Immediate Medical Attention and Special Treatment**

##### **Special Instructions**

Treat symptomatically.

## **SECTION 5. FIRE-FIGHTING MEASURES**

### **Extinguishing Media**

#### **Suitable Extinguishing Media**

Water. Carbon dioxide (CO<sub>2</sub>). Dry chemical.

#### **Unsuitable Extinguishing Media**

Do not use water jet as an extinguisher, as this will spread the fire.

### **Specific Hazards Arising from the Product**

Contents under pressure. Pressurized container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed.

Extremely flammable aerosol.

### **Special Protective Equipment and Precautions for Fire-fighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapour pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

### **Personal Precautions, Protective Equipment, and Emergency Procedures**

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

### **Environmental Precautions**

Avoid release to the environment. Collect spillage. See Section 12 for additional Ecological Information. Dispose of contents/container to an approved waste disposal plant.

### **Methods and Materials for Containment and Cleaning Up**

Refer to attached safety data sheets and/ or instructions for use. Eliminate all ignition sources (no smoking, flares,

---

Product Identifier: Quickway Oven/Hood Cleaner - Ver. 6

Date of Preparation: January 21, 2019

Date of Last Revision: March 02, 2018

Page 03 of 08

sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Isolate area until gas has been dispersed. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.

## SECTION 7. HANDLING AND STORAGE

### Precautions for Safe Handling

Pressurized Container. Keep away from heat, sparks and open flame. No smoking. Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing. Do not eat, drink or smoke when using this product. Take precautionary measures against static discharges. Ground and bond all lines and equipment associated with product system. All equipment should be non-sparking and explosion proof.

### Conditions for Safe Storage

Store locked up. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122°F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Refrigeration recommended. Store away from incompatible materials (see Section 10 of the SDS). Level 1 Aerosol (NFPA 30B).

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters

Chemical Name	ACGIH TLV®		OSHA PEL		AIHA WEEL	
	TWA	STEL	TWA	Ceiling	8-hr TWA	TWA
Butane		1000 ppm				
Propane			1000 ppm			
Sodium hydroxide	2 mg/m3		2 mg/m3	2 mg/m3		

### Appropriate Engineering Controls

Provide eyewash in work area, if contact or splash hazard exists. Use local exhaust ventilation and enclosure, if necessary, to control amount in the air.

### Individual Protection Measures

#### Eye/Face Protection

Wear chemical safety goggles.

#### Skin Protection

Rubber or vinyl gloves recommended when handling solid chemicals or their use solutions.

#### Respiratory Protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### Basic Physical and Chemical Properties

Appearance	Colourless.
Odour	Characteristic Quat
Odour Threshold	Not available
pH	13.0 - 14.0
Melting Point/Freezing Point	Not applicable (melting); Not available (freezing)
Initial Boiling Point/Range	100 °C (212 °F)
Flash Point	49 °C (120 °F)
Evaporation Rate	Not applicable

Product Identifier: Quickway Oven/Hood Cleaner - Ver. 6

Date of Preparation: January 21, 2019

Date of Last Revision: March 02, 2018

Page 04 of 08

<b>Flammability (solid, gas)</b>	Flammable gas.
<b>Upper/Lower Flammability or Explosive Limit</b>	Not applicable (upper); Not applicable (lower)
<b>Vapour Pressure</b>	Not available
<b>Vapour Density (air = 1)</b>	Not applicable
<b>Relative Density (water = 1)</b>	Not available
<b>Solubility</b>	Soluble in water; Not available (in other liquids)
<b>Partition Coefficient, n-Octanol/Water (Log Kow)</b>	Not applicable
<b>Auto-ignition Temperature</b>	Not applicable
<b>Decomposition Temperature</b>	Not available
<b>Viscosity</b>	Not applicable (kinematic); Not applicable (dynamic)
<b>Other Information</b>	
<b>Physical State</b>	Gas
<b>VOC Content</b>	Not available

## SECTION 10. STABILITY AND REACTIVITY

### Reactivity

Strong Acids.

### Chemical Stability

Normally stable.

### Possibility of Hazardous Reactions

Heat, flames and sparks.

### Conditions to Avoid

Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Do not mix with other chemicals. Contact with incompatible materials. Fire or intense heat may cause violent rupture of packages.

### Incompatible Materials

Acids. Strong oxidizing agents. Oxidizing agents.

### Hazardous Decomposition Products

None known.

## SECTION 11. TOXICOLOGICAL INFORMATION

### Likely Routes of Exposure

Eye contact; skin contact.

### Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
Sodium hydroxide	Not available	Not available	1350 mg/kg (rat)

LC50: No information was located.

LD50 (oral): No information was located.

LD50 (dermal): No information was located.

### Skin Corrosion/Irritation

Skin contact with corrosive substances can cause skin burns.

### Serious Eye Damage/Irritation

Eye contact with corrosive substances can cause eye burns.

### STOT (Specific Target Organ Toxicity) - Single Exposure

Product Identifier: Quickway Oven/Hood Cleaner - Ver. 6  
 Date of Preparation: January 21, 2019  
 Date of Last Revision: March 02, 2018

**Inhalation**

May cause irritation of respiratory tract.

**Ingestion**

Causes digestive tract burns. Ingestion may cause severe irritation of the mouth, the esophagus and the gastrointestinal tract.

**Aspiration Hazard**

No information was located.

**STOT (Specific Target Organ Toxicity) - Repeated Exposure**

No information available.

**Respiratory and/or Skin Sensitization**

No information available.

**Carcinogenicity**

A5 – Not suspected as a human carcinogen.

**Reproductive Toxicity****Development of Offspring**

No information was located.

**Sexual Function and Fertility**

No information was located.

**Effects on or via Lactation**

No information was located.

**Germ Cell Mutagenicity**

Not mutagenic.

**Interactive Effects**

No information was located.

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity**

Harmful, with long lasting effects to aquatic life, based on acute toxicity tests.

**Acute Aquatic Toxicity**

Chemical Name	LC50 Fish	EC50 Crustacea	ErC50 Aquatic Plants	ErC50 Algae
Sodium hydroxide	45.4 mg/L (Lepomis macrochirus (bluegill); static)	Not available	Not available	Not available

**Persistence and Degradability**

No information available.

**Bioaccumulative Potential**

No information available.

**Mobility in Soil**

No information was located.

**Other Adverse Effects**

There is no information available.

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal Methods**

Dispose of contents and container in accordance with local, regional, national and international regulations.

Product Identifier: Quickway Oven/Hood Cleaner - Ver. 6

Date of Preparation: January 21, 2019

Date of Last Revision: March 02, 2018

## SECTION 14. TRANSPORT INFORMATION

Regulation	UN No.	Proper Shipping Name	Transport Hazard Class(es)	Packing Group
US DOT	UN1950	Aerosol, Flammable	2.1 (8)	III

**Environmental Hazards** Not applicable

**Special Precautions** Not applicable

**Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable

**Emergency Response Guide No.** 126

**Other Information** This product meets the exception requirements of section 173.306 as a limited quantity and may be shipped as a limited quantity. Until 12/31/2020, the "Consumer Commodity - ORM-D" marking may still be used in place of the new limited quantity diamond mark for packages of UN 1950 Aerosols. Limited quantities require the limited quantity diamond mark on cartons after 12/31/20 and may be used now in place of the "Consumer Commodity ORM-D" marking and both may be displayed concurrently.

## SECTION 15. REGULATORY INFORMATION

**Safety, Health and Environmental Regulations**

**Canada**

**Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)**

All ingredients are listed on the DSL/NDSL.

**USA**

**Toxic Substances Control Act (TSCA) Section 8(b)**

All ingredients are listed on the TSCA Inventory.

**Additional USA Regulatory Lists**

SARA Title III - Section 313:

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA Title III - Section 311/312:

Acute Health Hazard Yes

Chronic Health Hazard No

Fire Hazard Yes

Sudden Release of Pressure Hazard No

Reactive Hazard No

California Proposition 65

This product contains no Proposition 65 chemicals.

U.S. EPA Label Information

EPA Registration Number : Not applicable.

**Clean Water Act**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

CWA - Hazardous Substances :. (Sodium hydroxide)

Product Identifier: Quickway Oven/Hood Cleaner - Ver. 6

Date of Preparation: January 21, 2019

Date of Last Revision: March 02, 2018

Page 07 of 08

## CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Hazardous Substances RQs:

Sodium Hydroxide 1000 lb final RQ/ RQ 454 kg final RQ

### U.S. State Right-to-Know Regulations

New Jersey Right To Know: (Butane)

Massachusetts Right To Know: (Butane)

Pennsylvania Right To Know: (Butane)

Rhode Island: (Butane)

New Jersey Right To Know: (Propane)

Massachusetts Right To Know: (Propane)

Pennsylvania Right To Know: (Propane)

Rhode Island: (Propane)

Massachusetts Right To Know: (Sodium hydroxide)

New Jersey Right To Know: (Sodium hydroxide)

Pennsylvania Right To Know: (Sodium hydroxide)

Illinois Right to Know: (Sodium hydroxide)

Rhode Island: (Sodium hydroxide)

## SECTION 16. OTHER INFORMATION

<b>NFPA Rating</b>	<b>Health - 2</b>	<b>Flammability - 2</b>	<b>Instability - 0</b>
<b>SDS Prepared By</b>	SunBurst Chemicals		
<b>Phone No.</b>	952-884-3144		
<b>Date of Preparation</b>	January 21, 2019		
<b>Date of Last Revision</b>	March 02, 2018		
<b>Revision Indicators</b>	ERG update		

---

Product Identifier: Quickway Oven/Hood Cleaner - Ver. 6

Date of Preparation: January 21, 2019

Date of Last Revision: March 02, 2018

Page 08 of 08