

# Rust Out

## SECTION 1. IDENTIFICATION

<b>Product Identifier</b>	Rust Out
<b>Other Means of Identification</b>	7477
<b>Recommended Use</b>	Laundry Iron Remover.
<b>Restrictions on Use</b>	No information available.
<b>Manufacturer/Supplier Identifier</b>	Sunburst Chemicals, Inc., 220 W. 86th St., Bloomington, MN, 55420, 952-884-3144
<b>Emergency Phone No.</b>	Emergency Telephone Number, 1-866-303-6943
<b>SDS No.</b>	0002

## SECTION 2. HAZARD IDENTIFICATION

Classified according to Canada's Hazardous Products Regulations (WHMIS 2015) and the US Hazard Communication Standard (HCS 2012).

### Classification

Skin corrosion - Category 1; Serious eye damage - Category 1

### Label Elements



Signal Word:  
Danger

### Hazard Statement(s):

Causes severe skin burns and eye damage.  
May be fatal if swallowed and enters airways.

### Precautionary Statement(s):

#### Prevention:

Do not breathe dust/fume/gas/mist/vapours/spray.  
Wash hands and skin thoroughly after handling.  
Wear protective gloves, protective clothing, eye protection, face protection.

### General advice

Immediately call a POISON CENTRE or doctor.

### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTRE or doctor.

#### Skin

IF ON SKIN: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

#### Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

#### Ingestion

IF SWALLOWED: Immediately call a POISON CENTRE or doctor.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

#### Storage:

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

#### Disposal:

Dispose of contents and container in accordance with local, regional, national and international regulations.

#### Other Hazards

Not applicable.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	%	Other Identifiers
Oxalic acid, Dihydrate	6153-56-6	100	

#### Notes

PRODUCT AT USE DILUTION

Contains ingredients listed above at weight % less than 0.5%

### SECTION 4. FIRST-AID MEASURES

#### First-aid Measures

##### Inhalation

Remove source of exposure or move to fresh air. Get medical advice or attention if you feel unwell or are concerned.

##### Skin Contact

Wash gently and thoroughly with lukewarm, gently flowing water and mild soap for 5 minutes. Thoroughly clean clothing, shoes and leather goods before reuse or dispose of safely. Seek immediate medical attention/advice.

##### Eye Contact

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. Seek immediate medical attention/advice.

##### Ingestion

Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

##### First-aid Comments

Get medical advice or attention if you feel unwell or are concerned.

#### Most Important Symptoms and Effects, Acute and Delayed

None known.

Product Identifier: Rust Out

Date of Preparation: October 10, 2017

## Immediate Medical Attention and Special Treatment

### Special Instructions

Treat symptomatically.

## SECTION 5. FIRE-FIGHTING MEASURES

### Extinguishing Media

#### Suitable Extinguishing Media

Water. Carbon dioxide (CO<sub>2</sub>). Dry chemical.

#### Unsuitable Extinguishing Media

None known.

### Specific Hazards Arising from the Product

Not sensitive to static discharge.

Not sensitive to mechanical impact.

### Special Protective Equipment and Precautions for Fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment, and Emergency Procedures

Avoid contact with skin, eyes and clothing. Do not breathe vapours or spray mist. Ensure adequate ventilation. Use personal protective equipment.

### Environmental Precautions

Avoid release to the environment. Collect spillage. See Section 12 for additional Ecological Information. Dispose of contents/container to an approved waste disposal plant.

### Methods and Materials for Containment and Cleaning Up

Contain and soak up spill with absorbent that does not react with spilled product.

Collect and reuse if possible. Following product recovery, flush area with water.

## SECTION 7. HANDLING AND STORAGE

### Precautions for Safe Handling

Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing. Do not breathe vapours or spray mist. Do not eat, drink or smoke when using this product, or its use solutions.

### Conditions for Safe Storage

Keep container tightly closed. Keep container closed when not in use. Keep out of the reach of children.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters

Chemical Name	ACGIH TLV®		OSHA PEL		AIHA WEEL	
	TWA	STEL	TWA	Ceiling	8-hr TWA	TWA
Oxalic acid, Dihydrate	2 mg/m <sup>3</sup>		1 mg/m <sup>3</sup>			

### Appropriate Engineering Controls

Provide eyewash and safety shower if contact or splash hazard exists. Use local exhaust ventilation, if general ventilation is not adequate to control amount in the air.

### Individual Protection Measures

#### Eye/Face Protection

Product Identifier: Rust Out

Date of Preparation: October 10, 2017

Page 03 of 07

Wear chemical safety goggles and face shield when contact is possible.

**Skin Protection**

Rubber or vinyl gloves recommended when handling solid chemicals or their use solutions.

**Respiratory Protection**

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### Basic Physical and Chemical Properties

<b>Appearance</b>	White.
<b>Odour</b>	Odourless
<b>Odour Threshold</b>	Not available
<b>pH</b>	Not available
<b>Melting Point/Freezing Point</b>	Not available (melting); Not applicable (freezing)
<b>Initial Boiling Point/Range</b>	Not available
<b>Flash Point</b>	Not available
<b>Evaporation Rate</b>	Not applicable
<b>Flammability (solid, gas)</b>	Not applicable
<b>Upper/Lower Flammability or Explosive Limit</b>	Not applicable (upper); Not applicable (lower)
<b>Vapour Pressure</b>	Not applicable
<b>Vapour Density (air = 1)</b>	Not applicable
<b>Relative Density (water = 1)</b>	Not available
<b>Solubility</b>	Soluble in water; Not available (in other liquids)
<b>Partition Coefficient, n-Octanol/Water (Log Kow)</b>	Not applicable
<b>Auto-ignition Temperature</b>	Not applicable
<b>Decomposition Temperature</b>	Not available
<b>Viscosity</b>	Not applicable (kinematic); Not applicable (dynamic)
<b>Other Information</b>	
<b>Physical State</b>	Solid
<b>Use Dilution</b>	Use dilution pH is 0.5 - 1.5 pH
<b>VOC Content</b>	VOC Content (%) = 0%

## SECTION 10. STABILITY AND REACTIVITY

### Reactivity

None known.

### Chemical Stability

Normally stable.

### Possibility of Hazardous Reactions

None expected under normal conditions of storage and use.

### Conditions to Avoid

None known.

### Incompatible Materials

Chlorine-based bleaching agents.

### Hazardous Decomposition Products

None known.

---

Product Identifier: Rust Out

Date of Preparation: October 10, 2017

Page 04 of 07

## SECTION 11. TOXICOLOGICAL INFORMATION

### Likely Routes of Exposure

Eye contact; skin contact.

### Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
Oxalic acid, Dihydrate	Not available	1080 mg/kg (rat)	Not available

LC50: No information was located.

LD50 Oral 5 grams total dosage; Acute toxicity estimate

LD50 (dermal): No information was located.

### Skin Corrosion/Irritation

Contact causes severe skin irritation and possible burns.

### Serious Eye Damage/Irritation

Causes serious eye damage.

### STOT (Specific Target Organ Toxicity) - Single Exposure

#### Inhalation

May cause irritation of respiratory tract.

#### Ingestion

Ingestion may cause stomach discomfort at low levels, but can be fatal in quantities above 5 grams.

### Aspiration Hazard

No information was located.

### STOT (Specific Target Organ Toxicity) - Repeated Exposure

No information available.

### Respiratory and/or Skin Sensitization

No information available.

### Carcinogenicity

A5 – Not suspected as a human carcinogen.

### Reproductive Toxicity

#### Development of Offspring

No information was located.

#### Sexual Function and Fertility

No information was located.

#### Effects on or via Lactation

No information was located.

### Germ Cell Mutagenicity

Not mutagenic.

### Interactive Effects

No information was located.

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

Harmful, with long lasting effects to aquatic life, based on acute toxicity tests.

### Acute Aquatic Toxicity

Chemical Name	LC50 Fish	EC50 Crustacea	ErC50 Aquatic Plants	ErC50 Algae
Oxalic acid, Dihydrate	160 mg/L (48-hour)	137 mg/L (Daphnia magna (water flea);	Not available	Not available

Product Identifier: Rust Out

Date of Preparation: October 10, 2017

**Persistence and Degradability**

No information available.

**Bioaccumulative Potential**

No information available.

**Mobility in Soil**

No information was located.

**Other Adverse Effects**

There is no information available.

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal Methods**

Dispose of contents and container in accordance with local, regional, national and international regulations.

**SECTION 14. TRANSPORT INFORMATION**

Not regulated under Canadian TDG regulations. Not regulated under US DOT Regulations.

**Environmental Hazards** Not applicable

**Special Precautions** Not applicable

**Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable

**SECTION 15. REGULATORY INFORMATION****Safety, Health and Environmental Regulations****Canada****Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)**

All ingredients are listed on the DSL/NDSL.

**USA****Toxic Substances Control Act (TSCA) Section 8(b)**

All ingredients are listed on the TSCA Inventory.

**Additional USA Regulatory Lists**

SARA Title III - Section 313:

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA Title III - Section 311/312:

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

California Proposition 65

This product contains no Proposition 65 chemicals.

U.S. EPA Label Information

EPA Pesticide Registration Number :

Product Identifier: Rust Out

Date of Preparation: October 10, 2017

Not applicable.

**Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material. ).

**U.S. State Right-to-Know Regulations**

- Massachusetts Right To Know: (Oxalic acid, Dihydrate)
- New Jersey Right To Know: (Oxalic acid, Dihydrate)
- Pennsylvania Right To Know: (Oxalic acid, Dihydrate)
- Minnesota Right to Know: (Oxalic acid, Dihydrate)
- Rhode Island: (Oxalic acid, Dihydrate)

**SECTION 16. OTHER INFORMATION**

<b>NFPA Rating</b>	<b>Health - 3</b>	<b>Flammability - 0</b>	<b>Instability - 0</b>
<b>SDS Prepared By</b>	SunBurst Chemicals		
<b>Phone No.</b>	952-884-3144		
<b>Date of Preparation</b>	October 10, 2017		
<b>Date of Last Revision</b>	June 09, 2016		
<b>Revision Indicators</b>	Update using CanWrite		