

## Spray Kleen Heavy Duty Tub & Tile

### SECTION 1. IDENTIFICATION

<b>Product Identifier</b>	Spray Kleen Heavy Duty Tub & Tile
<b>Other Means of Identification</b>	1722
<b>Recommended Use</b>	Bathroom, Tub & Tile Cleaner.
<b>Restrictions on Use</b>	No information available.
<b>Manufacturer/Supplier Identifier</b>	Sunburst Chemicals, Inc., 220 W. 86th St., Bloomington, MN, 55420, 952-884-3144
<b>Emergency Phone No.</b>	Emergency Telephone Number, 1-866-303-6943
<b>SDS No.</b>	0002

### SECTION 2. HAZARD IDENTIFICATION

#### Classification

Acute toxicity (Oral) - Category 4; Skin corrosion - Category 1; Serious eye damage - Category 1

#### Label Elements



Signal Word:  
Danger

#### Hazard Statement(s):

Harmful if swallowed.  
Causes severe skin burns and eye damage.

#### Precautionary Statement(s):

Prevention:  
Wash hands and skin thoroughly after handling.  
Avoid breathing dust/fume/gas/mist/vapours/spray.  
Wear personal protective equipment/face protection.

#### General Advice

IF exposed or concerned: Get medical attention/advice

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTRE or doctor.

#### Skin

IF ON SKIN: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice or attention.

#### Inhalation

IF INHALED: Call a POISON CENTRE or doctor if you feel unwell.

#### Ingestion

IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

#### Storage:

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

#### Disposal:

Dispose of contents and container in accordance with local, regional, national and international regulations.

#### Other Hazards

Not applicable.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	%	Other Identifiers	Other Names
water	7732-18-5	40-60		
SULFAMIC ACID	5329-14-6	5-15		
Poly (oxy-1, 2-ethanediyl), Alpha-Sulfo-Omega-Hydroxy-, C10-C16 Alkyl ethers, Ammonium Salts	67762-19-0	5-10		
Alcohols, C14-15, ethoxylated	68951-67-7	5-10		
Sodium Xylene Sulfonate	1300-72-7	5-10		
Alanine, N,N-bis(carboxymethyl)-, trisodium salt	164462-16-2	1-5		
2-Butoxyethanol	111-76-2	1-5		
Fragrance.	proprietary	0-1		
Acid Violet 76	63589-10-6	0-0.001		

#### Notes

##### PRODUCT AT USE DILUTION

Contains ingredients listed above at weight % less than 2.0%

### SECTION 4. FIRST-AID MEASURES

#### First-aid Measures

##### Inhalation

Remove source of exposure or move to fresh air. Get medical advice or attention if you feel unwell or are

Product Identifier: Spray Kleen Heavy Duty Tub & Tile - Ver. 2

Date of Preparation:

Date of Last Revision: November 25, 2019

Page 02 of 08

concerned.

#### **Skin Contact**

Wash gently and thoroughly with lukewarm, gently flowing water and mild soap for 5 minutes. Seek immediate medical attention/advice.

#### **Eye Contact**

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. Seek immediate medical attention/advice.

#### **Ingestion**

Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

#### **First-aid Comments**

Get medical advice or attention if you feel unwell or are concerned.

#### **Most Important Symptoms and Effects, Acute and Delayed**

None known.

#### **Immediate Medical Attention and Special Treatment**

##### **Special Instructions**

Treat symptomatically.

## **SECTION 5. FIRE-FIGHTING MEASURES**

### **Extinguishing Media**

#### **Suitable Extinguishing Media**

Water. Carbon dioxide (CO<sub>2</sub>). Dry chemical.

#### **Unsuitable Extinguishing Media**

None known.

### **Specific Hazards Arising from the Product**

Not sensitive to static discharge.

Not sensitive to mechanical impact.

### **Special Protective Equipment and Precautions for Fire-fighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

### **Personal Precautions, Protective Equipment, and Emergency Procedures**

Avoid contact with skin, eyes and clothing. Do not breathe vapours or spray mist. Ensure adequate ventilation. Use personal protective equipment.

### **Environmental Precautions**

Avoid release to the environment. Collect spillage. See Section 12 for additional Ecological Information. Dispose of contents/container to an approved waste disposal plant.

### **Methods and Materials for Containment and Cleaning Up**

Collect and reuse if possible. Following product recovery, flush area with water.

## **SECTION 7. HANDLING AND STORAGE**

### **Precautions for Safe Handling**

Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing. Do not breathe vapours or spray mist. Do not eat, drink or smoke when using this product, or its use solutions.

---

Product Identifier: Spray Kleen Heavy Duty Tub & Tile - Ver. 2

Date of Preparation:

Date of Last Revision: November 25, 2019

Page 03 of 08

## Conditions for Safe Storage

Keep container tightly closed. Keep container closed when not in use. Keep out of the reach of children.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters

Chemical Name	ACGIH TLV®		OSHA PEL		AIHA WEEL	
	TWA	STEL	TWA	Ceiling	8-hr TWA	TWA
2-Butoxyethanol	20 ppm		50 ppm			

### Appropriate Engineering Controls

Provide eyewash in work area, if contact or splash hazard exists.

### Individual Protection Measures

#### Eye/Face Protection

Wear chemical safety goggles and face shield when contact is possible.

#### Skin Protection

Rubber or vinyl gloves recommended when handling solid chemicals or their use solutions.

#### Respiratory Protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### Basic Physical and Chemical Properties

Appearance	Purple.
Odour	Floral
Odour Threshold	Not available
pH	1.5 - 2.0
Melting Point/Freezing Point	Not available (melting); Not applicable (freezing)
Initial Boiling Point/Range	100 °C (212 °F)
Flash Point	Not available
Evaporation Rate	Not applicable
Flammability (solid, gas)	Not applicable
Upper/Lower Flammability or Explosive Limit	Not applicable (upper); Not applicable (lower)
Vapour Pressure	Not applicable
Vapour Density (air = 1)	Not applicable
Relative Density (water = 1)	Not available
Solubility	Soluble in water; Not available (in other liquids)
Partition Coefficient, n-Octanol/Water (Log Kow)	Not applicable
Auto-ignition Temperature	Not applicable
Decomposition Temperature	Not available
Viscosity	Not applicable (kinematic); Not applicable (dynamic)
Other Information	
Physical State	Liquid
Use Dilution	Not available
VOC Content	VOC Content (%) = 3%

Product Identifier: Spray Kleen Heavy Duty Tub & Tile - Ver. 2

Date of Preparation:

Date of Last Revision: November 25, 2019

Page 04 of 08

## SECTION 10. STABILITY AND REACTIVITY

### Reactivity

None known.

### Chemical Stability

Normally stable.

### Possibility of Hazardous Reactions

None expected under normal conditions of storage and use.

### Conditions to Avoid

Alkaline conditions (high pH).

### Incompatible Materials

Alkalis strong oxidizing or reducing agent.

### Hazardous Decomposition Products

None known.

## SECTION 11. TOXICOLOGICAL INFORMATION

### Likely Routes of Exposure

Eye contact; skin contact.

### Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
Alcohols, C14-15, ethoxylated	Not available	1000 mg/kg (rat)	> 2000 mg/kg (rat)
SULFAMIC ACID	Not available	3160 mg/kg (rat)	Not available
2-Butoxyethanol	2.21 mg/L (rat) (4-hour exposure)	470 mg/kg (rat)	400 mg/kg (rabbit)

LC50: No information was located.

LD50 (oral): No information was located.

LD50 (dermal): No information was located.

### Skin Corrosion/Irritation

Skin contact with corrosive substances can cause skin burns.

### Serious Eye Damage/Irritation

Causes serious eye damage.

### STOT (Specific Target Organ Toxicity) - Single Exposure

#### Inhalation

May cause irritation of respiratory tract.

#### Ingestion

Harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

### Aspiration Hazard

No information was located.

### STOT (Specific Target Organ Toxicity) - Repeated Exposure

No information available.

### Respiratory and/or Skin Sensitization

No information available.

### Carcinogenicity

Product Identifier: Spray Kleen Heavy Duty Tub & Tile - Ver. 2

Date of Preparation:

Date of Last Revision: November 25, 2019

Page 05 of 08

Chemical Name	IARC	ACGIH®	NTP	OSHA
2-Butoxyethanol	Group 3	A3		

Not a carcinogen.

**Reproductive Toxicity**

**Development of Offspring**

No information was located.

**Sexual Function and Fertility**

No information was located.

**Effects on or via Lactation**

No information was located.

**Germ Cell Mutagenicity**

Not mutagenic.

**Interactive Effects**

No information was located.

**SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

No information was located.

**Acute Aquatic Toxicity**

Chemical Name	LC50 Fish	EC50 Crustacea	ErC50 Aquatic Plants	ErC50 Algae
Alcohols, C14-15, ethoxylated	0.9 mg/L (Oncorhynchus mykiss (rainbow trout); 96-hour; static)	0.25 mg/L (Daphnia magna (water flea); 48-hour)	Not available	0.95 mg/L (96-hour)
SULFAMIC ACID	70.3 mg/L (Pimephales promelas (fathead minnow); 96-hour)	Not available	Not available	Not available
2-Butoxyethanol	1490 mg/L (Lepomis macrochirus (bluegill); 96-hour)	Not available	Not available	Not available

**Persistence and Degradability**

No information available.

**Bioaccumulative Potential**

No information available.

**Mobility in Soil**

Studies are not available.

**Other Adverse Effects**

There is no information available.

**SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal Methods**

Dispose of contents and container in accordance with local, regional, national and international regulations.

## SECTION 14. TRANSPORT INFORMATION

Regulation	UN No.	Proper Shipping Name	Transport Hazard Class(es)	Packing Group
US DOT	UN3264	Corrosive liquid, acidic, inorganic, n.o.s. (SULFAMIC ACID)	8	II
IMDG/IMO	UN3264	Corrosive liquid, acidic, inorganic, n.o.s. (SULFAMIC ACID)	8	II

**Environmental Hazards** Not applicable

**Special Precautions** Not applicable

**Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable

## SECTION 15. REGULATORY INFORMATION

**Safety, Health and Environmental Regulations**

**Canada**

**Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)**

All ingredients are listed on the DSL/NDSL.

**USA**

**Toxic Substances Control Act (TSCA) Section 8(b)**

All ingredients are listed on the TSCA Inventory.

**Additional USA Regulatory Lists**

SARA Title III - Section 313:

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does contain chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
2-Butoxyethanol	111-76-2	1-5	1.0.

SARA Title III - Section 311/312:

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

California Proposition 65

This product contains no Proposition 65 chemicals.

U.S. EPA Label Information

EPA Registration Number : Not applicable.

**Clean Water Act**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

CWA - Hazardous Substances :. (2-Butoxyethanol)

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Product Identifier: Spray Kleen Heavy Duty Tub & Tile - Ver. 2

Date of Preparation:

Date of Last Revision: November 25, 2019

Page 07 of 08

Hazardous Substances RQs:

2-Butoxyethanol 5000 lb final RQ/ RQ 2270 kg final RQ

**U.S. State Right-to-Know Regulations**

New Jersey Right To Know:. (2-Butoxyethanol)

Massachusetts Right To Know:. (2-Butoxyethanol)

Pennsylvania Right To Know:. (2-Butoxyethanol)

Illinois Right to Know:. (2-Butoxyethanol)

Rhode Island:. (2-Butoxyethanol)

**SECTION 16. OTHER INFORMATION**

<b>NFPA Rating</b>	<b>Health - 2</b>	<b>Flammability - 0</b>	<b>Instability - 0</b>
<b>SDS Prepared By</b>	Sunburst Chemicals.		
<b>Phone No.</b>	952-884-3144		
<b>Date of Last Revision</b>	November 25, 2019		

---

Product Identifier: Spray Kleen Heavy Duty Tub & Tile - Ver. 2

Date of Preparation:

Date of Last Revision: November 25, 2019

Page 08 of 08